



CIDEMCO

CENTRO DE INVESTIGACIÓN TECNOLÓGICA –

Laboratorio de Ensayos

Bº Lasao, Area Anardi nº 5

Apartado de Correos 134

20730 Azpeitia

Guipúzcoa

Tel.: 943-816800

Fax.: 943-816074

E-mail: cidemco@cidemco.es

www.cidemco.es

TEST CERTIFICATE

Company:

ENEA EREDU, S. COOP.

Address:

Apartado 97 20250 LEGORRETA (GIPUZKOA)

Certificate no.

7185

ACREDITACIONES:



ENAC: 34/LE162. Windows

ENAC: 34/LE346. Iron fittings for
para edificación buildings

ENAC: 34/LE347. Woodwork

ENAC: 34/LE347. Wooden floors
madera

ENAC: 34/LE345. Varnishes

ENAC: 34/LE345. Paint

ENAC: 34/LE024. Kitchen furniture
cocina

ASOCIADO A:

ENAC
(Entidad Nacional de
Acreditación)

ASEFAVE
(Asociación Española de
Fabricantes de fachadas ligeras
y ventanas)

FEDIT
(Federación Española de
Entidades de Innovación
Tecnológica)

AETEPA
(Asociación Española de
Técnicos en pintura y afines)

Chair
“Global armless 171”

Tests carried out according to Norms: UNE 11010:1989 (Test level 5)

TEST	TEST CHARACTERISTICS	RESULTS
Static load on front legs (section 2.5.7)	F applied = 760 N F balance = 1600 N No. of cycles: 10	SATISFACTORY
Lateral static load (section 2.5.8)	F applied = 760 N F balance = 1600 N No. of cycles: 10	SATISFACTORY
Diagonal load on base (section 2.5.9)	F applied = 620 N No. of cycles: 10	SATISFACTORY
Floor impact test (section 2.5.13)	Impact height = 900 mm No. of impacts = 10	SATISFACTORY

Date: 29th May 2001

This document is not valid without the test report of identical number to the certificate, where the results obtained in each tests are stipulated.

The results obtained in these tests refer only to the tests carried out in this Test Centre on the date shown above and do not imply a constant characteristic in the quality of production.



**CENTRO DE
INVESTIGACION
TECNOLOGICA**

Bº Lasao - Area Anardi nº 5
20730 AZPEITIA (Guipúzcoa) SPAIN
Tel.: +34 943 81 68 00 • Fax: +34 943 81 60 74
e-mail: cidemco@cidemco.es • <http://www.cidemco.es>

REPORT NUMBER: 7185. Page 1 of 4

TEST REPORT

CLIENT'S NAME: ENEA EREDU, S.COOP.
PETITIONER'S NAME: IÑAKI ELIZEGI
ADDRESS: APARTADO 97
20250 LEGORRETA

TESTED MATERIAL: CHAIR REF. "GLOBAL ARMLESS 171"

PURPOSE OF PETITION: TEST ACCORDING TO NORM 11010:1989

RECEPTION DATE: 9/5/2001

DATE OF FIRST TEST: 14/5/2001

DATE OF LAST TEST: 18/5/2001

Total number of pages (including this page): 4

The test results only refer to the material received and tested in this Centre of Investigation on 9/5/2001

This Report cannot be reproduced without specific authorization by CIDEMCO, except in its complete form.

Asier Maiztegi
Furnishing Department Head

Azpeitia, 29 May 2001

Jose Mª Irure
Furnishing Department Technician



REPORT NO. 7185. page 2 of 4

TEST CHARACTERISTICS

On 9 May 2001, we received in CIDEMCO a chair with the following reference:

GLOBAL ARMLESS 171

TESTS REQUESTED

The tests requested are the following:

1. **Static load on front legs** according to Norm UNE 11010:1989, section 2.5.7
2. **Lateral static load** according to Norm UNE 11010:1989, section 2.5.8
3. **Diagonal load on base** according to Norm UNE 11010:1989, section 2.5.9
4. **Floor impact test** according to Norm UNE 11010:1989, section 2.5.13

Test level requested: **Test level 5**

TESTS CARRIED OUT AND RESULTS OBTAINED

The tests carried out are as follows, in the same order as they appear and on the same sample chair.

All the tests were carried out according to **Test Level 5**, which figures in appendix A of Norm UNE 11020:1992/2 as corresponding to “**severe public use**”, which would comprise:

For general public use in severe conditions: Furniture destined to be installed in places for general public access, mainly uncontrolled. The frequency of use of this type of furniture is very high and it is used by large numbers of people of all types and ages. Due to its location, a specifically careless or even harsh use can be expected.

As an example, the following locations can be mentioned: Furniture installed in public accesses to stations or similar places, bars or cafes located in stations, etc.


Client: ENEA EREDU
Ref.: “Global armless 171” Chair.



Report no. 7185. page 3 of 4

1. STATIC LOAD TEST ON FRONT LEGS (Norm UNE 11010:1989 SECTION 2.5.7)

Once the chair has been secured by means of stoppers to prevent sliding, a horizontal load (H) of 760N and a counterweight (V_c) of 1600N is applied, carrying out 10 repetition cycles.



- Force on legs (H): 760N
- Force on seat: 1600N
- Cycles carried out: 10

RESULTS: SATISFACTORY

2. LATERAL STATIC LOAD TEST (Norm UNE 11010:1989 section 2.5.8)

Once the chair has been secured by means of stoppers to prevent sliding, a horizontal load (H) of 760N and a counterweight (V_c) of 1600N is applied, carrying out 10 repetition cycles.



- Force on legs (H): 760N
- Force on seat: 1600N
- Cycles carried out: 10

RESULTS: SATISFACTORY


Client: ENEA EREDU
Ref.: "Global armless 171" Chair.



REPORT NO. 7185. page 4 of 4

3. Diagonal load test on base (Norm UNE 11010:1989 section 2.5.9)

The test consists of two horizontal loads applied diagonally on the lowest possible part of the chair in opposite directions.




- Force applied (H): 620N
- Cycles carried out: 10

RESULTS: SATISFACTORY

4. FLOOR IMPACT TEST (NORM UNE 11010:1989 section 2.5.13)

The test consists of allowing the chair to fall from a height (H_c) on one leg, leaving a 10° angle with respect to the other leg situated on its same diagonal plane.



- Impact height (H_c): 900mm
- Number of impacts: 10

RESULTS: SATISFACTORY

Client: ENEA EREDU
Ref.: "Global armless 171" Chair.